

Oracle.1z0-1033.v2020-01-20.q25

Exam Code: 1Z0-1033
Exam Name: Oracle CPQ Cloud Service 2019 Implementation Essentials
Certification Provider: Oracle
Free Question Number: 25
Version: v2020-01-20
of views: 360
of Questions views: 2855

<https://www.freecram.com/torrent/Oracle.1z0-1033.v2020-01-20.q25.html>

NEW QUESTION: 1

A red "X" appears instead of a part (item) in a configuration. What causes this?

- A. The Recommended Item rule is recommending an incorrect price for the part number.
- B. The Recommended Item rule is not firing.
- C. The Recommended Item rule is recommending more than one-part number.
- D. The Recommended Item rule is recommending a part that does not exist.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 2

A multi-select attribute with five options is displayed as check boxes. Depending on the conditions, the Configurator should show a user three of these five options.

How do you accomplish this?

- A. by writing a Pricing rule
- B. by writing a Recommendation rule
- C. by writing a Hiding rule
- D. by writing a Constraint rule

Answer: (SHOW ANSWER)

NEW QUESTION: 3

You want to control the information that can be viewed on the transaction page.

What must you create to accomplish this?

- A. Library Functions
- B. Transition Rules
- C. Participant Profiles
- D. Constraint Rules
- E. Internal User Definitions

Answer: C (LEAVE A REPLY)

NEW QUESTION: 4

Which two items are not included in an environment refresh?

- A. Users
- B. Automated FTP upload to CPQ schedule
- C. Active sessions
- D. Configuration administration
- E. Commerce transactions

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

Your customer wants to create a user that has complete access to the site and has the ability to add and edit new users.

Which procedure should you follow to accomplish this?

- A. Click the Add button on the User Administration List page; enter values for the required fields (Login, Email, and First Name); set the Type field to FullAccess; click the Add button to add the user to the system; click the new user's name on the User Administration List page to edit the user, select the Create/Modify Users check box; and click the Update button to save the changes.
- B. Click the Add button on the User Administration List page; enter values for the required fields (Login, Email, and First Name); click the Add button to add the user to the system; click the new user's name on the User Administration List page to edit the user; select the Create/Modify Users check box; and click the Update button to save the changes.
- C. Click the Add button on the User Administration List page; enter values for the required fields (Login, Email, and First Name); set the Type field to FullAccess; select the Create/Modify Users check box, and click the Add button to add the user to the system.
- D. Click the Add button on the User Administration List page, set the Type field to Admin, click the Add button to add the user to the system, click the new user's name on the User Administration List page to edit the user, select the Create/Modify Users check box, and click the Update button to save the changes.
- E. Click the Add button on the User Administration List page; enter values for the required fields (Login, Password, Email, First Name, Last Name, and Phone Number); set the Type field to Admin; click the Add button to add the user to the system; click the new user's name on the User Administration List page to edit the user; select the Add New Users check box; and click the Add button to save the changes.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 6

When designing an integration with an ERP system, you must communicate with a third party integration tool (such as a middleware or a hub).

Which three methods can be used to communicate with a middleware in this scenario? (Choose three.)

- A. Commerce Integration XSLs on an Action
- B. Automated FTP

- C. Send XML on a Transition Rule via Real Time Integration
- D. Commerce Integration Cloud Service Integration on an Action
- E. urldata function call in a Commerce Advanced Modification BML function
- F. Formula Management
- G. DataCube Reporting

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

Identify the three data types available for part custom fields. (Choose three.)

- A. "Date," can include time
- B. "String," can be changed to "Single Select Menu"
- C. "Boolean"
- D. "Multi Select menu"
- E. "Currency"
- F. "Float," can be changed to "Integer"

Answer: B,E,F ([LEAVE A REPLY](#))

NEW QUESTION: 8

When doing a part search from home page, you have the Create Quote button to create a new Transaction.

How do you change the label of this button?

- A. Open the Commerce Process admin page, navigate to Process Actions, and change the label of the "_action_new_transaction" action.
- B. Go to the Process Invocation admin page, open the Part Search Results page, select navigation "Rules" of the action that has the type "Start", and change the name of the invocation rule which points to the right commerce process.
- C. Go to the Process Invocation admin page, open the Part Search Results page, and change the name of the action that has the type "Start".
- D. Open the Text Administration admin page, go to "C", change the entry "Create Quote" and enter "Translated Text."

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Identify two options to which transactions can be forwarded using forwarding rules. (Choose two.)

- A. users
- B. user groups
- C. any of the users who are part of the Approval group
- D. any email address registered in the CPQ Cloud system

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 10

A use case requires displaying 250 rows of data to a user and allowing the user to interact with the data in a mobile interface.

What is the Oracle-recommended method for displaying an interactive 250-row data set in a Configurator?

- A.** Use an HTML attribute to display the data and use JavaScript to create interactivity.
- B.** Use an array set to show this data.
- C.** You do not have a good option because 250 rows are too much to display on the screen of a Configurator.
- D.** Split the data into two array sets and use logic to show the relevant set of data.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

What are three valid reasons for a Configuration rule failing to execute? (Choose three.)

- A.** The status of the rule is set to Inactive.
- B.** A runtime error occurs within the rule, which is firing before the current rule.
- C.** The rule's Condition attributes are hidden in Configuration Layout.
- D.** The attributes used in the rule are not added in Configuration Layout.

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 12

The following BML code in Config encountered an HTTP 404 error from someurl.com.

```
urldatabypost ("http://someurl.com", "a1=v1&a2=v2", "call failed")
```

Which two statements are true? (Choose two.)

- A.** The call will return "call failed."
- B.** The call will return "HTTP 404 Not Found."
- C.** An HTTP error will be displayed in red text with the message "HTTP 404 Not Found" at the top of the configuration screen.
- D.** An unhandled exception will be displayed in red text at the top of the configuration screen.
- E.** The HTTP error will be captured in the CPQ Cloud Error Logs: bm.log.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

How can action buttons be hidden in Commerce?

- A.** by using Configuration hiding rules
- B.** by using Commerce hiding rules
- C.** by using profiles and steps in Commerce

D. by putting the action button bar on a hidden tab in Commerce

Answer: B (LEAVE A REPLY)

NEW QUESTION: 14

An administrator tries to change the document views on an attribute from a participant profile on a given step.

But the attribute is not listed in the list of attributes that are available for editing.

What are two reasons for this behavior? (Choose two.)

- A. The attribute is not added to the layout.
- B. The attribute is a system attribute.
- C. The attribute is being referenced in an active Hiding rule.
- D. The attribute is hidden on the Attribute Details page.

Answer: (SHOW ANSWER)

NEW QUESTION: 15

How can you prevent users with the RestrictedAccess user type from creating a new transaction using Transaction Manager?

- A. Go to the Commerce Process admin page and open the participant profiles of the start step. Remove all user access rights entries for RestrictedAccess
- B. Navigate to the Process Invocation admin page and remove the user access rights entries for RestrictedAccess for all pages.
- C. Open the Commerce Process admin page, navigate to Process Manager, click Access Rights, and make sure that RestrictedAccess user type is not selected.
- D. Open the Commerce Process admin page, navigate to Process Actions, click Access Rights for the New Transaction action, and remove all company type and user type RestrictedAccess entries.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 16

Which attribute type cannot be displayed on the line item grid?

- A. Single-select menu attributes
- B. Text attributes
- C. HTML attributes
- D. Currency attributes

Answer: C (LEAVE A REPLY)

Valid 1Z0-1033 Dumps shared by PrepAwayExam.com for Helping Passing 1Z0-1033 Exam! PrepAwayExam.com now offer the **newest 1Z0-1033 exam dumps**, the PrepAwayExam.com 1Z0-1033 exam **questions have been updated and answers**

have been corrected get the **newest** PrepAwayExam.com 1Z0-1033 dumps with Test Engine here:

<https://www.prepawayexam.com/Oracle/braindumps.1Z0-1033.ete.file.html> (95 Q&As Dumps, **40%OFF** Special Discount: **freecram**)

NEW QUESTION: 17

There are two single-select attributes in an array set. The first single-select attribute shows a list of countries and the second attribute shows a list of states.

Which is the most efficient way to show relevant states based on chosen country?

- A.** Load all country and state combinations in a data table and write a Constraint rule to lookup the data table.
- B.** Use the Hiding rule, which is the only possible option, because arrays do not support Constraint rules.
- C.** Create Hiding rules for each country with Simple Conditions, and then select valid states for the Action attribute. In this case, the number of Hiding rules will be equal to the number of countries.
- D.** Create a Constraint rule for each country in the drop-down list by using Simple Conditions and select valid states for the Action attribute of the rule. In this case, number of rules will be equal to the number of countries in the list.

Answer: (SHOW ANSWER)

NEW QUESTION: 18

The commerce step "Pending" has four participant profiles in the following order: SalesRep, SalesManager, Owner, and Admin. The Admin profile allows access with the FullAccess user type. The Owner profile has at performer steps "start" step selected. The step has an auto-forwarding rule.

A FullAccess user with the SalesGroupA and SalesManagerA groups creates a new quote and saves it, which moves the quote to "Pending." The auto-forwarding rule returned the following two lines:

SalesManagerA~Company~SalesManager

SalesGroupA~Company~SalesRep

Which profile will be used to display the quote in the "Pending" step to this user?

- A.** Owner profile
- B.** SalesManager profile
- C.** Admin profile
- D.** SalesRep profile

Answer: D (LEAVE A REPLY)

NEW QUESTION: 19

In Commerce, what is the order of operations for the standard Modify sequence?

- A. Modify tab, Before Formulas Advanced Modify function, Formulas, After Formulas Advanced Modify function
- B. Integration, Before Formulas Advanced Modify function, Formulas, After Formulas Advanced Modify function
- C. Before Formulas Advanced Modify function, Formulas, After Formulas Advanced Modify function
- D. Modify tab, Advanced Default function, Formulas, After Formulas Advanced Modify function
- E. Modify tab, Before Formulas Advanced Modify function, After Formulas Advanced Modify function

Answer: A (LEAVE A REPLY)

NEW QUESTION: 20

After saving content to the Content library, you check the Content library Tree and find that the new content is missing. What would be your immediate action?

- A. Close and re-open the Content Library Tree.
- B. Deploy Commerce.
- C. Deploy Config and Commerce.
- D. Close, refresh dynamic sources, and re-open the Dynamic Data window.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 21

Which two items are necessary to migrate between environments? (Choose two.)

- A. Environments must be on the same major release (for example, 2016R2).
- B. Entities to be migrated must be deployed within 24 hours of the migration.
- C. Administrators must have FullAccess logins for both environments.
- D. Environments must have similar urls (for example, testcustomer and devcustomer).
- E. Environments must be on the same minor release (for example, 2016R2 update 2).

Answer: C,E (LEAVE A REPLY)

NEW QUESTION: 22

Given the following function:

```
replace (str, old, new, [n])
```

What does [n] specify?

- A. the number of occurrences of the old that will be replaced from the beginning
- B. an array of the old values
- C. an array of the new values
- D. the number of occurrences of the old that will be skipped from the beginning

Answer: C (LEAVE A REPLY)

NEW QUESTION: 23

A client wants customers to be able to select a laptop category from a drop-down list in the Product Configuration section. After the laptop category is selected, all laptops within that category need to be displayed without the user having to do any more selections.

Which option meets this requirement?

- A. Commerce library function
- B. Util library function
- C. Formula Administration
- D. Auto Update

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

When implementing Subscription Ordering according the Subscription Ordering Implementation Guide, you are asked to modify the formula for the Price (List) linelevel attribute.

What must you do to properly modify the formula?

- A. Add an initial condition that tests for the Action Code to be either DELETE or TERMINATE with a true value of zero.
- B. Add an initial condition that tests for a valid entry in a specific Subscription Ordering price book with a true value of zero.
- C. Add an initial condition that tests for the Action Code to be either DELETE or TERMINATE with a true value of Part Base Price.
- D. Add an initial condition that tests for a valid price value in the Price field of the BOM Item Mapping table with a true value of the valid price value.
- E. Add an initial condition that tests for a valid price value in the Price field of the BOM Item Definition table with a true value of the valid price value.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

Which three BOM Mapping Tables are required to map Configuration attributes to BOM items and Commerce Transaction Line attributes using a simple Table-Based BOM Mapping Configuration rule?(Choose three.)

- A. BOM Item Definition
- B. BOM Attribute Translation
- C. BOM Attribute Mapping
- D. BOM Item Mapping
- E. BOM Attribute Definition

Answer: ([SHOW ANSWER](#))

Valid 1Z0-1033 Dumps shared by PrepAwayExam.com for Helping Passing 1Z0-1033 Exam! PrepAwayExam.com now offer the **newest 1Z0-1033 exam dumps**, the PrepAwayExam.com 1Z0-1033 exam **questions have been updated** and **answers have been corrected** get the **newest** PrepAwayExam.com 1Z0-1033 dumps with Test Engine here:

<https://www.prepawayexam.com/Oracle/braindumps.1Z0-1033.ete.file.html> (95 Q&As

Dumps, **40%OFF** Special Discount: **freecram**)