


# FreeCram



FreeCram

HOME ALL VENDORS DOWNLOAD FREE GUARANTEE FAQs

**Pass Your Next Certification Exam Fast!**

Select a vendor... Select an test... Your email address [Download Free](#)



Instant Download



365 Days Free Updates



Money Back Guarantee



Security & Privacy

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.

We're not the only ones **happy** about FreeCram Practice Material ...

**12514+** customers in 100+ countries use FreeCram Test Engine. Meet our customers.

<https://www.freecram.com>

Free Exam/Cram Practice Materials.

**Exam** : **H12-211**

**Title** : Huawei Certified Datacom  
Associate-Huawei Networking  
Technology and Device  
(HCDA-HNTD)

**Vendor** : Huawei

**Version** : DEMO

**NO.1** Which of the following must be consistent at both ends of an OSPF adjacency relationship to be established

- A. Router Dead Interval
- B. Router Priority
- C. Area ID
- D. Router ID

**Answer:** A,C

**NO.2** Refer to the configuration output, Which of the following statements regarding the configuration output are correct?

```
[Huawei-GigabitEthernet0/0/1]port link-type access [Huawei-GigabitEthernet0/0/1]port default vlan 10
```

```
[Huawei-GigabitEthernet0/0/2]port link-type trunk
```

```
[Huawei-GigabitEthernet0/0/2]port trunk allow-pass vlan 10
```

- A. The PVID on interface GigabitEthernet0/0/1 is 1
- B. The PVID on interface GigabitEthernet0/0/2 is 1
- C. The PVID on interface GigabitEthernet0/0/1 is 10
- D. The PVID on interface GigabitEthernet0/0/2 is 10

**Answer:** B,C

**NO.3** When the host accesses web service of the server , the value of the 'protocol' field at the network layer is 6.

- A. TRUE
- B. FALSE

**Answer:** A

**NO.4** On the Versatile Routing (VRP), which of the following commands is used to display the current interface configuration in the interface view?

- A. display users
- B. display version
- C. display ip interface brief
- D. display this

**Answer:** D

**NO.5** The PPPoE session establishment process can be divided into which stage?

- A. PPPoE Session stage
- B. DHCP stage
- C. PPP connecting stage
- D. Discovery stage

**Answer:** A,D

**NO.6** Which of the following service modules has/have the ACL with the default action of permit?

- A. flow policy

- B. SNMP
- C. telnet
- D. HTTP

**Answer:** A

**NO.7** A router cannot function as both a DHCPv6 server and a DHCP server.

- A. FALSE
- B. TRUE

**Answer:** A

**NO.8** The solicited-node multicast address consists of the prefix FF02::1:FF00:0/104 and the last 24 bits of the corresponding unicast address

- A. TRUE
- B. quit
- C. FALSE

**Answer:** A

**NO.9** A switch process and forwards ethernet frames in tagged mode?

- A. TRUE
- B. FALSE


**Answer:** A

**NO.10** On P2P networks , OSPFv3 does not need to send DD packets when establishing an OSPFv3 adjacency?

- A. TRUE
- B. FALSE

**Answer:** B

**NO.11** According to the figure, which of the following statements is true?



- A. The IP address mask of host A is different from that of host B, therefore Host A & B cannot communicate with each other
- B. Host A can successfully ping Host B
- C. The broadcast address of Host A and Host B are the same
- D. Host A and B can communicate with each other only when the IP address of Host A and Host B

have same masks.

**Answer:** B

**NO.12** A DHCPv6 client send a ( ) packet to a DHCPv6 server to request an IPv6 address and network configuration parameters

- A. Discover
- B. Advertise
- C. Solicit
- D. Request

**Answer:** D

**NO.13** A network administrator has been assigned the IP address segment 192.168.176.0/25, from which he/she must allocate a subnet to support 20 users in the marketing department. Which IP subnet best supports this requirements

- A. 192.168.176.48/29
- B. 192.168.176.0/25
- C. 192.168.176.96/27
- D. 192.168.176.0/30

**Answer:** C

**NO.14** A trunk interface and a hybrid interface process packet in the same way when receiving data frames?

- A. TRUE
- B. FALSE

**Answer:** A

**NO.15** A DHCP Offer packet can carry only one DNS server address?

- A. TRUE
- B. FALSE

**Answer:** B

**NO.16** The packets returned by the DHCP server to the DHCP client must be unicast packets.

- A. TRUE
- B. FALSE

**Answer:** A

**NO.17** If the DHCPv6 client and DHCPv6 server reside on different links, a DHCPv6 relay agent is required?

- A. TRUE
- B. FALSE

**Answer:** A

**NO.18** What are the advantages of using DHCP to allocate IP addresses

- A. DHCP provides heavy workload and is difficult to manage

**B.** DHCP can prevent IP address conflicts

**C.** IP addresses can be reused

**D.** If the configuration information changes, for example the DNS server address changes, the administrator only needs to modify the configuration information on the DHCP server, facilitating unified management

**Answer:** B,C,D

**NO.19** Which of the following statements about the link aggregation are true?

**A.** GE electrical interface and GE optical interface cannot be added to the same Eth-Trunk interface

**B.** Eth-Trunk interface cannot be nested

**C.** Devices at both ends of an Eth-trunk must use the same link-aggregation mode.

**D.** GE interface and FE interfaces cannot be added to the same Eth-Trunk interface

**Answer:** A,B,C,D

**NO.20** The maximum number of VTY user interfaces determines how many users can log in to the device through Telnet or STelnet at the same time.

**A.** FALSE

**B.** TRUE

**Answer:** B